

Terra - 2013 Earth Science Division Senior Review

APPENDIX A—TERRA PRODUCT CONTRIBUTION TO SCIENCE FOCUS AREAS (AND PRODUCT MATURITY)

Table A-1: Terra product level, product maturity, each product's contribution to the National Objectives and Applications and Science Focus Areas and whether a product funding source is supported by a NASA ROSES funded science team member. Contribution code: "●" makes large contribution to the focus area; "■" makes small contribution to the focus area; "P" precursor product. Product maturity code: D = product in development; 0 = beta or provisional; 1 to 3 = Validation Stage: initial (1) to full validation (3). Product funding source: DA = product supported from Terra Project DA funds; R = product supported by ROSES-funded competitive award.

INSTRUMENT/Product	Level	National Objectives Applications	Contribution						Product Maturity	Product Funding Source	
			Science Focus Area								
			1	2	3	4	5	6			
			Climate Variability and Change	Atmospheric Composition	Carbon Cycle and Ecosystems	Water and Energy Cycle	Weather	Earth Surface and Interior			
ASTER	ASTER Reconstructed, unprocessed inst. data (AST01)	1A	P	P		P	P	P	P	3	DA
	ASTER Registered radiance at sensor (AST03)	1B	■	■		■	■	■	●	3	DA
	ASTER Surface radiance — VNIR, SWIR (AST09)	2	■	■		■	■		■	3	DA
	ASTER Surface radiance — TIR (AST09T)	2	■	■		■	■		■	3	DA
	ASTER Surface reflectance — VNIR, TIR (AST07)	2	■	■		■	■		■	3	DA
	ASTER Surface kinetic temperature (AST08)	2	■	■		■	■		■	3	DA
	ASTER Surface emissivity (AST05)	2	●						●	3	DA
	ASTER Digital elevation model (AST14)	3	●				■		●	3	DA
	ASTER Orthorectified radiance (AST14OTH)	3	●				■		●	3	DA
	ASTER Ortho + DEM (AST14DMO)	3	●				■		●	3	DA
	ASTER Global DEM (AST-GDEM)	3	●				■		●	3	DA
CERES	CERES Bidirectional scans (BDS)	1B	P	P	P		P			3	DA
	ERBE-like Instantaneous TOA estimates (ES-8)	2		●			■			3	DA
	ERBE-like Monthly regional averages (ES-9)	3		●			■			3	DA
	ERBE-like Monthly geographic averages (ES-4)	3		●			■			3	DA
	CERES Single scan footprint TOA/surface fluxes and clouds (SSF)	2	●	●	■		●			3	DA
	CERES Monthly gridded TOA/Surface fluxes and clouds (SFC)	3	■	■	■		■			3	DA
	CERES TOA Fluxes and Clouds (SSF1deg -Day, -Month)	3	●	●	■		■			3	DA
	CERES Clouds and radiative swath (CRS)	2	●	●	■		■			3	DA
	CERES Monthly gridded radiative fluxes and clouds (FSW)	3	■	■	■		■			3	DA
	CERES and GEO-Enhanced TOA/Within-Atmosphere/Surface Fluxes and Clouds (SYN1deg -3Hour, -Month, -M3hour)	3	●	●	■		■			3	DA
	CERES ISCCP-D2like (-day, -nit, -geo)	3		●			■			3	DA

Product maturity code:

D – product in development;

0 – beta or provisional;

1 – Stage 1 Validation: Product accuracy has been estimated using a small number of independent measurements obtained from selected locations and time periods and ground-truth/field program effort.

2 – Stage 2 Validation: Product accuracy has been assessed over a widely distributed set of locations and time periods via several ground-truth and validation efforts.

3 – Stage 3 Validation: Product accuracy has been assessed and the uncertainties in the product well established via independent measurements in a systematic and statistically robust way representing global conditions.

continued on A-2

Appendix A-1

PROPRIETARY INFORMATION

The material contained on this page is proprietary and for NASA proposal review purposes only. It may not be used for any other purpose without the permission of NASA's GSFC.

Terra - 2013 Earth Science Division Senior Review

APPENDIX A—TERRA PRODUCT CONTRIBUTION TO SCIENCE FOCUS AREAS (AND PRODUCT MATURITY)

Table A-1: Terra product level, product maturity, each product's contribution to the National Objectives and Applications and Science Focus Areas and whether a product funding source is supported by a NASA ROSES funded science team member. Contribution code: ● makes large contribution to the focus area; ■ makes small contribution to the focus area; "P" precursor product. Product maturity code: D = product in development; 0 = beta or provisional; 1 to 3 = Validation Stage: initial (1) to full validation (3). Product funding source: DA = product supported from Terra Project DA funds; R = product supported by ROSES-funded competitive award.

INSTRUMENT/Product	Level	National Objectives, Applications	Contribution						Product Maturity	Product Funding Source	
			Science Focus Area								
			1	2	3	4	5	6			
MISR	MISR L1 Georectified radiance product (MI1B2E, MI1B2T)	1	P	■	P	P	■	P	■	3	DA
	MISR L2 Stereo product (MIL2TCST): heights, winds	2	■	●	●	●	●	■	■	3, 2	DA
	MISR L2 Cloud product (MIL2TCSP): cloud height, cloud-tracked winds	2	■	●	●	●	●	●	■	3, 1	DA
	MISR L2 Cloud masks and cloud classifiers product (MIRCCM, MIL2TCST, MIL2TCCL): radiometric, stereo, angular signature	2	P	●	■	■	■	P	■	3, 2	DA
	MISR L2 Top-of-atmo. albedo product (MIL2TCAL), BRF, albedo	2	■	●	■	■	■	■	■	3, 1	DA
	MISR L2 Aerosol prod. (MIL2ASAE): optical depth, parctl. properties	2	■	●	●	■	■	■	■	3, 2	DA
	MISR L2 Surface product (MIL2TCLS): albedos/BRFs, LAI	2	■	●	■	■	■	■	■	3, 2	DA
	MISR L3 Global radiation and climate, cloud, aerosol, and surface prod.	3	■	●	●	■	●	■	■	3, 2	DA
	MISR L3 Plume height climatology product	3	■	●	●	■	■	■	■	2	DA
	MISR L3 Cloud fraction by altitude product	3	■	●	■	■	●	■	■	2	DA
	MISR L3 Cloud motion vector product	3	■	●	■	■	●	■	■	3	DA
	MISR L3 Joint Aerosol product	3	■	●	●	■	■	■	■	3	DA
MODIS Level 1	MODIS Radiance counts (MOD01)	1A	■	■	■	■	■	■	■	3	DA
	MODIS Calibrated and geolocated radiances (MOD02)	1B	P	P	P	P	P	P	P	3	DA
	MODIS Geolocation data set (MOD03)	1	P	P	P	P	P	P	P	3	DA
MODIS Atmosphere	MODIS Aerosol product (MOD04)	2	●	●	●	■	■	■	■	2	R
	MODIS Total precipitable water (MOD05)	2	■	●	■	■	■	■	■	2	R
	MODIS Cloud product (MOD06)	2	●	●	■	■	■	■	■	2	R
	MODIS Atmospheric profiles (MOD07)	2	●	●	■	■	■	■	■	2	R
	MODIS Atmosphere gridded product (MOD08)	3	●	●	■	■	■	■	■	2	R
	MODIS Atmosphere joint product (MODATML2)	2	●	●	■	■	■	■	■	2	R
	MODIS Cloud mask (MOD35)	2	●	●	●	●	●	●	■	2	R
MODIS Land	MODIS Surface reflectance (MOD09)	2, 3	●	●	■	●	●	■	■	2	R
	MODIS Land surface temperature and emissivity (MOD11)	2, 3	●	●	■	●	●	■	■	2	R
	MODIS Land cover and dynamics (MOD12)	3	●	●	■	■	■	■	■	2, 1	R
	MODIS Vegetation indices (NDVI and EVI) (MOD13)	3	●	●	■	●	■	■	■	2	R
	MODIS Fire and thermal anomalies (MOD14)	2, 3	●	●	●	●	■	■	■	3	R
	MODIS LAI and fraction of photosynthetically active radiation (MOD15)	3	●	●	■	●	●	■	■	3	R
	MODIS Evapotranspiration (MOD16)	3	●	●	■	●	●	■	■	0	R
	MODIS Gross primary productivity/Net primary productivity (MOD17)	4	●	■	■	●	■	■	■	2	R
	MODIS MAIAC Product (MOD19)	3	●	●	●	●	■	■	■	■	R
	MODIS Land Surface temperature and emissivity (MOD21)	2, 3	●	●	■	●	●	■	■	0	R
	MODIS BRDF/albedo model parameters (MCD43)	3	●	●	■	●	■	■	■	2	R
	MODIS Vegetation continuous fields (MOD44)	3	●	■	■	●	■	■	■	1	R
MODIS Burned area product (MCD45)	3	●	■	●	●	■	■	■	2	R	

continued on A-3

Terra - 2013 Earth Science Division Senior Review

APPENDIX A—TERRA PRODUCT CONTRIBUTION TO SCIENCE FOCUS AREAS (AND PRODUCT MATURITY)

Table A-1: Terra product level, product maturity, each product's contribution to the National Objectives and Applications and Science Focus Areas and whether a product funding source is supported by a NASA ROSES funded science team member. Contribution code: ● makes large contribution to the focus area; ◐ makes small contribution to the focus area; "P" precursor product. Product maturity code: D = product in development; 0 = beta or provisional; 1 to 3 = Validation Stage: initial (1) to full validation (3). Product funding source: DA = product supported from Terra Project DA funds; R = product supported by ROSES-funded competitive award.

PRODUCT/Instrument	Level	National Objectives Applications	Contribution						Product Maturity	Product Funding Source	
			Science Focus Area								
			1	2	3	4	5	6			
MODIS	MODIS Snow cover (MOD10)	2, 3	●	●	◐	◐	●	●	◐	2	R
	MODIS Sea ice cover and ice surface temperature (MOD29)	2, 3	●	●	◐	◐	●	●	◐	2	R
MODIS Ocean	MODIS Sea surface temperature (MOD28)	2, 3	●	●	●	●	●	●	◐	3	R
	MODIS Remote sensing reflectance	2, 3	●	◐	◐	◐	◐	◐	◐	2	R
	MODIS Sub-surface chlorophyll-a concentration	2, 3	●	◐	◐	◐	◐	◐	◐	2	R
	MODIS diffuse attenuation at 490 nm	2, 3	◐	◐	◐	◐	◐	◐	◐	2	R
	MODIS Aerosol optical thickness (for ocean color atmo. correction)	2, 3	◐	◐	◐	◐	◐	◐	◐	2	R
	MODIS Aerosol Ångström exponent	2, 3	◐	◐	◐	◐	◐	◐	◐	2	R
	MODIS Particulate organic carbon	2, 3	◐	◐	◐	◐	◐	◐	◐	1	R
	MODIS Particulate inorganic carbon	2, 3	◐	◐	◐	◐	◐	◐	◐	1	R
	MODIS Fluorescence line height	2, 3	◐	◐	◐	◐	◐	◐	◐	0	R
	MODIS Instantaneous photosynthetically available radiation	2, 3	◐	◐	◐	◐	◐	◐	◐	0	R
MODIS Daily mean photosynthetically available radiation	2, 3	◐	◐	◐	◐	◐	◐	◐	0	R	
Other MODIS	MODIS Polar winds	3	●	●	◐	◐	●	●	◐	3	R
	MODIS Disturbance index (DI)	3	●	◐	◐	◐	◐	◐	◐	1	R
MOPITT	MOPITT Calibrated radiances and geolocation (MOP01)	1	P		P	P				3	DA
	MOPITT CO profile and total column (TIR) (MOP02)	2	◐	●	◐					3	DA
	MOPITT CO profile and total column (NIR)	2	◐	●	◐					2	DA
	MOPITT CO profile and total column (NIR/TIR)	2	◐	●	◐					2	DA
	MOPITT CO profile and total column (TIR) - Daily and Monthly Mean	3	◐	●	◐					3	DA
	MOPITT CO profile and total column (NIR) - Daily and Monthly Mean	3	◐	●	◐					2	DA
MOPITT CO profile and total column (NIR/TIR) - Daily and Monthly Mean	3	◐	●	◐					2	DA	

Product maturity code:

D - product in development;

0 - beta or provisional;

1 - Stage 1 Validation: Product accuracy has been estimated using a small number of independent measurements obtained from selected locations and time periods and ground-truth/field program effort.

2 - Stage 2 Validation: Product accuracy has been assessed over a widely distributed set of locations and time periods via several ground-truth and validation efforts.

3 - Stage 3 Validation: Product accuracy has been assessed and the uncertainties in the product well established via independent measurements in a systematic and statistically robust way representing global conditions.