

DYNAMIC PI Forum

Arlin Bartels

**DAVINCI Project Manager (Discovery Program)
Lucy Deputy Project Manager (Discovery Program)
OSIRIS-REx Deputy Project Manager (New Frontiers Program)**

2024-08-12

Lessons-Learned Case Studies from two selected Step 2 CSRs

New Frontiers Program: OSIRIS-REx (Bennu Asteroid Sample Return)

Discovery Program: DAVINCI (Venus Atmospheric Probe mission)

OSIRIS-REx

Current Mission Phase: E/F





OSIRIS-REx

Asteroid Sample Return Mission

Origins, Spectral Interpretation, Resource Identification, and Security - Regolith Explorer

Science Objectives

- Return and Analyze a Sample
- Create Maps of the Asteroid
- Document the Sample Site
- Measure the Orbit Deviations
- Compare to Telescope-based Observations




Mission Overview

- **Principal Investigator Dr. Dante Lauretta, UA/LPL**
- Life Cycle Cost \$1,020.8M (KDP-E Mgmt. Agreement)
- Launched on September 8, 2016
- Arrived at Bennu on December 3, 2018
- Studied Bennu for up to 505 days
- Obtain at least 60 g of pristine regolith/surface material
- Returned sample to Earth in September 2023
- Delivered samples to JSC curation facility




OSIRIS-REx
ASTEROID SAMPLE RETURN MISSION




Science Instrumentation and Key Capabilities

- OSIRIS-REx Camera Suite (OCAMS) – UA
- OSIRIS-REx Thermal Emission Spectrometer (OTES) – ASU
- OSIRIS-REx Visible & IR Spectrometer (OVIRS) – GSFC
- OSIRIS-REx Laser Altimeter (OLA) – CSA
- Regolith X-ray Imaging Spectrometer (REXIS) – MIT
- Spacecraft Telecom/Radio Science
- Touch-And-Go Sample Acquisition Mechanism (TAGSAM) – Lockheed Martin
- Sample Return Capsule (SRC, Stardust Heritage) – Lockheed Martin
- Sample Curation and Laboratory Analysis – NASA/JSC and world-wide





64 months of development – ready for launch



Key Information	
Mission Phase	E/F
Mission Life	7 years
Category	2
Class:	B
LV	Atlas 411
Dry Mass	860 kg
Launch Mass (fueled)	1955 kg
Power	1025 W
Downlink rate	820 kbps (typical)
Km traveled	3.86 Billion



End results make the challenges worthwhile



Mission Complete! But not quite yet

Extended Mission – “OSIRIS-APEX” - “Apophis Explorer”




NASA can't wait for its OSIRIS-APEX spacecraft to meet 'God of Chaos' asteroid Apophis in 2029

News By Robert Lea published December 29, 2023


Apophis will make an asteroid flyby like no other in recorded history in 5 years as it becomes visible with the naked eye, and OSIRIS-APEX will be on hand to supervise.

Comments (5)

When you purchase through links on our site, we may earn an affiliate commission. [Here's how it works.](#)




4/13/2029 – Apophis comes within 20,000 miles of Earth!



DAVINCI


Current Mission Phase: Early Phase B

DAVINCI will learn about Venus's past by descending to the surface through its current atmosphere



- The noble gases in Venus's atmosphere are "chemical fossils" to understanding the planet's early evolution and origin
- The abundance and isotopic ratios of these gases will be compared to Earth and Mars to give insight into Venus early history
- About ¾ of the Venusian atmosphere is thought to be in the lowest 20 km above the surface and has never been measured


Noble Gases



DAVINCI Hardware in early development



Aeroacoustic entry loads test at NASA-Ames in the Bay Area




Atmosphere-sniffer test in Univ of Maryland wind tunnel



Thermal Testing in industrial forging kiln – before and after



Half-Size Probe Wind-tunnel testing at NASA-LaRC in Virginia



Strength testing of parachute materials after sulfuric acid exposure

Lessons Learned – Phase A

The CSR is your project's first contractual deliverable

- Typically a Step 1 proposal is evaluated on Science merit while the Step 2 / CSR is evaluated on implementation feasibility as well
- Step 2 should transition team's thinking to being a real project in Phase A and focus on formulation planning for a successful delivery
- Your team should always be thinking with the end (CSR delivery) in mind and should manage the CSR development as you will do the mission:
 - Understand AO expectations, constraints and guidelines (requirements)
 - Clear definition of end product (scope)
 - Establish Budget allocations and schedule margin for CSR products themselves (in addition to the actual mission you will be describing in the CSR)
 - Staff Step 2 team ASAP and front-load the CSR prep as much as possible with gatechecks for outside eyes to make sure that your CSR is on track
 - Do not let your team fall behind in CSR preparation

Mold Your Team's Roles/Responsibilities Wisely

- A CSR is evaluated and selected on the strength of the entire team, including roles / responsibilities
- Even with strong partner institutions, roles and responsibilities need to be well thought out between team members
 - Examples: System integration (I&T/ATLO) responsibilities, ground systems and mission operations, science operations/planning center
- The PI will be working with the teams they assemble for the life of the mission – PI must be comfortable with the key personnel
 - PI must be comfortable with critical programmatic and technical leadership in particular
- Collocate teams as much as possible during CSR development
 - Frequent travel of key personnel is still important in age of collaboration tools
- Maximize use of Partnership Opportunity Documents (PODs) in the proposal/CSR process
 - Selection of the proposal by proxy selects all team members on PODs
 - No need to subsequently compete or sole-source the partners
- If international contributions (science team or hardware) are part of your mission, get the firmest commits possible in writing

Evaluate Subcontractor/Major Vendors wisely

- CSRs give limited time to evaluate potential vendors with whom team may have minimal experience
- Step 2 funding limitations inhibit putting firm agreements in place but the team should have primary/backup plans for critical technologies
- OSIRIS-REx lesson-learned:
 - Presumed LIDAR vendor in CSR chose to “no-bid” in Phase B after mission was selected
 - Schedule pressures compressed the time available to select backup vendor in Phase B
 - Chosen vendor turned out to have less experience than implied in proposal
 - Project had to supply considerable technical support to ensure successful delivery
 - Lessons-learned:
 - Identify backup vendors for critical deliveries via RFI process during CSR
 - Do not rush selection of critical vendors – do the homework

PI relationship to PM and PSE is critical

- Although the PI is responsible for all aspects of the mission, the most successful PIs delegate day-to-day management to the PM and PSE
 - PI must always pay close attention to the details that affect science data quality
 - In the end, the overall success of the mission is still the PI's responsibility
- PM and PSE need to remember at all times that their job is to make the PI successful
- PI, PM and PSE need to forge close working relationships in Phase B because there will always be challenges later in development
 - Successful PIs need to be able to trust their leadership teams to get through the difficult times
- A PI needs to be willing to make changes in the PM and PSE if necessary, but also show patience and loyalty within their team
 - Institutions will also make changes in PM/PSE but need to have the PI's concurrence

Make sure your proposal is actually feasible

- Build enough "honest" reserves into your proposal – technical and financial – that you can actually execute the mission that you propose
 - Do low-TRL technology developments have a realistic development plan?
 - Does schedule to Mission PDR/confirmation fully address work necessary get to PDR?
- Perform enough systems engineering from L1 requirements through L2 (and ideally to L3) to demonstrate to yourself that the mission is executable
 - Work will result in the Science Traceability Matrix for CSR, and then baselined L1/L2 requirements documents once you move to Phase B
- Descope plans should be practical and implementable
 - Evaluation factor from TMCOs
 - May become necessary for actual delivery of mission
- For a long-duration development and mission, have a succession plan for all critical personnel, including the PI

Fully respond to the Announcement Of Opportunity

- Identify someone to crosscheck every AO requirement to ensure that it is addressed
- Establish internal "gate checks" during proposal preparations to make sure that proposal messages and win themes are clear
 - Occasional "outside eyes" will help identify concerns that the proposal team themselves are too close to the material to see
- If funding profile or constraints are provided as part of the AO, be sure that the proposal funding profile conforms to the budget

Funding profile (proposed and actual) is critical

- Ensure that the optimal funding phasing profile by fiscal year is clearly communicated in the CSR
- Strong recommendation – Adequate funding to get to Mission PDR and Confirmation is critical, including initial purchase of long-lead items
- OSIRIS-REx and Lucy (positive) examples:
 - Funding profile “S-curves” identified in CSR following successful heritage developments on planetary missions
 - SMD / PSD provided funding profiles consistent with CSR request and both missions delivered on-schedule and under budget
- DAVINCI (pending) example:
 - CSR identified optimal funding profile
 - SMD / PSD available funding has been significant problem since selection
 - Early-year funding has been highly constricted, far below heritage projects
 - Early-year formulation planning to get to Confirmation has been disrupted multiple times by in-year budget cuts
 - DAVINCI programmatic results: TBD

Risk Management starts in Step 2

- “All Project Management is Risk Management”
 - Risk Management is a key communications tool in the CSR that will demonstrate how the technical leadership team approaches complex technical questions
- Active Risk Management should start from the beginning of the Step 2 proposal
 - Identification of most critical risks and risk mitigations is key
 - Consider whether any weaknesses identified in the Step 1 feedback should be treated as risks to be discussed in the CSR
 - Retire any risks possible within schedule/budget constraints during the Step 2 proposal itself; identify Mission Phase when other Risks are predicted to be retired
- In your Risk Management section, anticipate the risks that the evaluation committee will likely be looking for and your mitigation approach to minimize the risks

Example of Step 2 Risk Mitigation from DAVINCI

- Key Technical challenge – keeping interior temperatures benign (~50C) even after exposure to mission Venus temperature profile (900 F for one hour)
- Prior proposal weakness – thermal design had not been demonstrated to achieve mission requirements
- Project treated this concern as a risk with the mitigation being a test demonstration of the design prior to the Site Visit
- Results: testing confirmed thermal design performance, and turned finding from a weakness into a strength at the Site Visit



Thermal Testing in industrial forging kiln to Venus temperatures demonstrated validity of thermal design

Prepare for the unexpected at Site Visit

- Technical, Management, Cost and Other Factors (TMCOs) will evaluate not just the answers to questions, but also how the teams respond
- Significant weaknesses, Questions and Requests for Information Lists (SQRLs) are sent before, during and even after the site visit
 - Spend time between proposal submission and site visit to anticipate the most likely SQRLs and prepare mock responses
- Establish a “Backroom” with a manager and systems engineering lead to field SQRLs in parallel while the PI and PM keep the site visit going
- Establish single Points-of-Contact to respond to SQRLs so that well-meaning team members aren’t stepping on each other

Lessons Learned – Phase B

Anticipate surprises at Mission selection

- Per NASA 7120.5F, for a competed AO mission selection constitutes transition from Phase A to Phase B
- Selection may come with surprises, questions and additional work
- DAVINCI example -
 - Launch Readiness Date (LRD) slipped three years at selection (compared to dates proposed) due to SMD funding availability
 - Proposed Venus orbital phase deleted in Selection Letter
 - SMD even directed mission name change as part of Selection
 - Project given 60 days to prepare response to justify retention of remote sensing instruments for flybys due to deletion of orbital phase

Keeping team focus despite budget reductions and Launch Readiness Date (LRD) slips

- Decide on who you need for a “core team” during the slow start up phase
- Suggestion: ensure full PI team and Systems Engineering leadership is in place – defer subsystem engineering
 - Keep flat management approach befitting a small team
 - Confine status reporting and meetings to value-added activities
- Define modest, discrete goals and manage/track the project just like you will when the funding faucet turns on
- DAVINCI defined a “SORR” phase during the extended Phase B
 - Identify highest-impact Risk Reduction activities you can afford within budget
 - Focus on critical path(s) and highest risk elements
 - Focus on Instrument and lowest-TRL aspects of mission
 - Last chance to perform Science Optimization activities
 - Perform systematic top-down requirements definition starting with L1 requirements
 - DAVINCI identified just under 100 “shovel-ready” SO/RR tasks that we could start on

Establish positive relationships with stakeholders

- Early Phase B is a critical time to establish positive relationships with HQ and Program Stakeholders and implementing institutions:
 - STP Program Office / Mission Manager
 - SMD Program Executive (PE)
 - SMD Project/Program Scientist(s)
 - Standing Review Board Chair (later in Phase B)
 - Institutional leadership with NASA Centers, industrial partners as appropriate
- Relationship begins with demonstrating to stakeholders that any findings at Selection are worked off promptly and fully
- Strong recommendation: have in-person kickoff meeting(s) with SMD and Program Office
- Meet with Standing Review Board (SRB) Chair early and often
 - Work with SMD PE and Program Office to select SRB Chair
 - Invite SRB members to early subsystem reviews so that Mission PDR is not the first exposure of the SRB to the project
 - Manage expectations for SRB-chaired reviews that culminate in Key-Decision Point (KDPs)
- Consider creating a “Leadership Council” comprised of directors of each institution that get convened only in times of great need
 - OSIRIS-REx convened “Leadership Council” twice to discuss project leadership personnel concerns

Take full advantage of Bridge Phase

- Bridge Phase – typically first 3-5 months or so of Phase B startup before "Phase B proper" starts
- Bridge Phase allows teams to start working quickly to letter contracts while the Phase B contracts are being negotiated
- Avoids "startup quicksand" for large partners like spacecraft bus vendor
- Bridge Phase time moves quickly – need to jumpstart contract activities for Phase B ASAP
 - Recommendation: have draft Phase B SOWs for all contracts in place by Site Visit so that you can quickly move to Phase B RFPs while the Bridge Phase letter contracts are still in place

Start Phase B with Confirmation in mind

- Always remember that the target goal is Mission Confirmation (KDP-C)
 - Tied to Mission PDR
- Move quickly to establish the core, senior team that will lead the formulation team through from Selection to Confirmation
- Even though the schedule pressure begins at Mission Selection, to the maximum extent possible maintain a systematic, methodical flowdown of mission requirements and freeze first L1 requirements and then L2 requirements
 - "Less Haste, More Speed"
- As soon as feasible, identify major system/architecture trades outstanding from the proposal and conduct the trades as soon as engineering team is in place
- As soon as feasible, take a deeper look at mission risks and lay in concrete mitigation plans (within budget constraints)

Initiate Phase B procurements as soon as practical

- Long-lead non-flight procurements tend to be schedule critical path for getting to the Element (Instrument, Spacecraft Bus) PDRs which precede Mission PDR
 - Especially true for post-COVID supply chain vendors (e.g., EEE parts)
- Placing long-lead flight procurements in Phase B has been shown to be one of the best ways to maintain flight hardware delivery schedules
 - Note: placing flight hardware procurements prior to Confirmation typically requires HQ/SMD approval but that approval is typically not an issue
 - Lesson learned from GSFC planetary missions such as MAVEN, OSIRIS-REx and Lucy to maximize early long-lead procurements
- Work with HQ/SMD sponsor to maximize early-year funding in development

Lessons Learned – Phase C

Change mindset from planning to execution

- Close out all trade studies and freeze design as quickly as feasible
- Set up tracking mechanisms to ensure you can assess and track progress in time to take corrective actions
 - Understand the limitations of Earned Value Management systems
- Finish Risk Mitigation activities where practical, leaving only residual risks
- Baseline I&T plans where possible (“ATLO – Assembly, Test and Launch Operations”)
- Begin detailed Launch Operations planning with Launch Vehicle provider – typically starting at L-30 mos
- Begin detailed Mission Operations and Phase E planning
- Ensure that adequate testbeds are put in place for Flight Software and Fault Protection V&V, I&T execution and mission operations
 - Key Psyche IRB finding

Questions?